

Table Logistic regression odds ratios of independent variables on Physical Activity (n=3,922)

Variables	B	S.E.	Unadjusted B	S.E.	Wald	p	OR (95% CI)
>30,000	-0.338*	0.150	-0.353*	0.259	5.103	0.024	0.713 (0.532,0.956)
15,000 - 30,000	-0.093	0.120	-0.106	0.321	0.603	0.437	0.911 (0.720,1.153)
<15,000 (Ref.)							
Chronic disease(s)							
Yes	-0.064	0.075	-0.064	0.500	0.719	0.396	0.938 (0.809,1.087)
No (Ref.)							
Exposed to COVID-19							
Yes	0.002	0.079	-0.005	0.456	0.001	0.978	1.002 (0.859,1.170)
No (Ref.)							
BMI							
Underweight (< 18.50)	-0.167	0.152	-0.173	0.236	1.206	0.272	0.846 (0.628,1.140)
Normal (18.50 – 22.99)	0.040	0.078	0.038	0.472	0.257	0.612	1.041 (0.892,1.213)
Overweight / Obesity (> 23.00) (Ref.)							
Area of residence							
Rural	0.244**	0.076	0.267	0.497	10.331	0.001	1.277 (1.100,1.482)
Urban (Ref.)							
Constant	1.389	0.169			67.350	0.000	4.010